§610.41

from a donor deferred under §610.41(a) unless you meet the following conditions:

- (A) Except for autologous donations, you must obtain from FDA written approval for the shipment or use;
- (B) You must appropriately label such blood or blood components as required under §606.121 of this chapter, and with the "BIOHAZARD" legend;
- (C) Except for autologous donations, you must label such human blood and blood components as reactive for the appropriate screening test for evidence of infection due to the identified communicable disease agent(s);
- (D) If the blood or blood components are intended for further manufacturing use into injectable products, you must include a statement on the container label indicating the exempted use specifically approved by FDA.
- (E) Each blood or blood component with a reactive screening test and intended solely as a component of, or used to prepare a medical device, must be labeled with the following label, as appropriate:

Type of Medical Device	Label
A medical device other than an in vitro diagnostic reagent	"Caution: For Further Manufac- turing Use as a Component of a Medical Device For Which There Are No Alternative Sources"
An in vitro diagnostic reagent	"Caution: For Further Manufac- turing Into In Vitro Diagnostic Re- agents For Which There Are No Alternative Sources"

- (iii) The restrictions on shipment or use do not apply to samples of blood, blood components, plasma, or sera if used or distributed for clinical laboratory testing or research purposes, and not intended for administration in humans or in the manufacture of a product.
- (iv) You may use human blood or blood components from a donor with a previous record of a reactive screening test(s) for evidence of infection due to a communicable disease agent(s) designated in paragraph (a) of this section, if:
- (A) At the time of donation, the donor is shown or was previously shown to be suitable by a requalification method or process found acceptable for such purposes by FDA under §610.41(b); and

- (B) tests performed under paragraphs (a) and (b) of this section are nonreactive.
- (v) Anti-HBc reactive donations, otherwise nonreactive when tested as required under this section, may be used for further manufacturing into plasma derivatives without prior FDA approval or a "BIOHAZARD" legend as required under paragraphs (h)(2)(ii)(A) and (h)(2)(ii)(B) of this section.
- (vi) You may use human blood or blood components, excluding Source Plasma, that test reactive by a screening test for syphilis as required under paragraph (i) of this section if, consistent with §640.5 of this chapter, the donation is further tested by an adequate and appropriate test which demonstrates that the reactive screening test is a biological false positive. You must label the blood or blood components with both test results.
- (vii) You may use Source Plasma from a donor who tests reactive by a screening test for syphilis as required under §610.40(i) of this chapter, if the donor meets the requirements of §640.65(b)(2) of this chapter.
- (i) Syphilis testing. In addition to the testing otherwise required under this section, you must test by a serological test for syphilis under §§ 640.5(a), 640.14, 640.23(a), 640.33(a), 640.53(a), and 640.65(b)(1) and (b)(2) of this chapter.

[66 FR 31162, June 11, 2001, as amended at 77 FR 18, Jan. 3, 2012]

§ 610.41 Donor deferral.

- (a) You, an establishment that collects human blood or blood components, must defer donors testing reactive by a screening test for evidence of infection due to a communicable disease agent(s) listed in §610.40(a) or reactive for a serological test for syphilis under §610.40(i), from future donations of human blood and blood components, except:
- (1) You are not required to defer a donor who tests reactive for anti-HBc or anti-HTLV, types I or II, on only one occasion. When a supplemental (additional, more specific) test for anti-HBc or anti-HTLV, types I and II, has been approved for use under §610.40(e) by FDA, such a donor must be deferred;
- (2) A deferred donor who tests reactive for evidence of infection due to a

communicable disease agent(s) listed in §610.40(a) may serve as a donor for blood or blood components shipped or used under §610.40(h)(2)(ii);

- (3) A deferred donor who showed evidence of infection due to hepatitis B surface antigen (HBsAg) when previously tested under §610.40(a), (b), and (e) subsequently may donate Source Plasma for use in the preparation of Hepatitis B Immune Globulin (Human) provided the current donation tests nonreactive for HBsAg and the donor is otherwise determined to be suitable;
- (4) A deferred donor, who otherwise is determined to be suitable for donation and tests reactive for anti-HBc or for evidence of infection due to HTLV, types I and II, may serve as a donor of Source Plasma;
- (5) A deferred donor who tests reactive for a communicable disease agent(s) described under §610.40(a) or reactive with a serological test for syphilis under §610.40(i), may serve as an autologous donor under §610.40(d).
- (b) A deferred donor subsequently may be found to be suitable as a donor of blood or blood components by a requalification method or process found acceptable for such purposes by FDA. Such a donor is considered no longer deferred.
- (c) You must comply with the requirements under §§610.46 and 610.47 when a donor tests reactive by a screening test for HIV or HCV required under §610.40(a) and (b), or when you are aware of other reliable test results or information indicating evidence of HIV or HCV infection.

[66 FR 31164, June 11, 2001, as amended at 72 FR 48798, Aug. 24, 2007]

§ 610.42 Restrictions on use for further manufacture of medical devices.

(a) In addition to labeling requirements in subchapter H of this chapter, when a medical device contains human blood or a blood component as a component of the final device, and the human blood or blood component was found to be reactive by a screening test performed under §610.40(a) and (b) or reactive for syphilis under §610.40(i), then you must include in the device labeling a statement of warning indicating that the product was manufactured from a donation found to be reac-

tive by a screening test for evidence of infection due to the identified communicable disease agent(s).

(b) FDA may approve an exception or alternative to the statement of warning required in paragraph (a) of this section based on evidence that the reactivity of the human blood or blood component in the medical device presents no significant health risk through use of the medical device.

[66 FR 31164, June 11, 2001]

§ 610.44 Use of reference panels by manufacturers of test kits.

- (a) When available and appropriate to verify acceptable sensitivity and specificity, you, a manufacturer of test kits, must use a reference panel you obtain from FDA or from an FDA designated source to test lots of the following products. You must test each lot of the following products, unless FDA informs you that less frequent testing is appropriate, based on your consistent prior production of products of acceptable sensitivity and specificity:
- (1) A test kit approved for use in testing donations of human blood and blood components for evidence of infection due to communicable disease agents listed in §610.40(a); and
- (2) Human immunodeficiency virus (HIV) test kit approved for use in the diagnosis, prognosis, or monitoring of this communicable disease agent.
- (b) You must not distribute a lot that is found to be not acceptable for sensitivity and specificity under §610.44(a). FDA may approve an exception or alternative to this requirement. Applicants must submit such requests in writing. However, in limited circumstances, such requests may be made orally and permission may be given orally by FDA. Oral requests and approvals must be promptly followed by written requests and written approvals.

[66 FR 31164, June 11, 2001]

§ 610.46 Human immunodeficiency virus (HIV) "lookback" require-

(a) If you are an establishment that collects Whole Blood or blood components, including Source Plasma and